




BS EN 1303:2005
KM 531333
Enhanced Security

Winkhaus ArmorShield™

For Euro Profile Cylinders - Designed to withstand extreme attack! The TS007 3☆ solution



in
Doors



Winkhaus ArmorShield™

For Euro Profile Cylinders - Designed to withstand extreme attack!

Located in the fabric of the door the ArmorShield™ device shrouds the locking cylinder and helps protect it from attack from crow bars, mole grips and large screwdrivers!

- If the handle is forcibly removed from the exterior of the door the ArmorShield™ helps prevent the potential intruder from snapping the locking cylinder and gaining entry to the property.
- When fitted the ArmorShield™ is completely concealed within the base plate of the handle.
- Suitable for Winkhaus Palladio™ XL handles and will also fit Hoppe Tokyo and other major brand door handles.
- Handle bolts through the ArmorShield™ for enhanced security.
- Complies with the latest Police 'Secured by design' Guidelines.
- Tested in accordance with A7 Heavy duty tools as specified in PAS24: A7 security standard.
- Ideally suited to PAS23/24 security doorsets and factory fitted. Can however be retrofitted if required.
- 4932964 ArmorShield™ for doors where the cylinder measures less than 45mm to the outside (measured from the centre line.) i.e would be used on a cylinder size 35/35.
- For optimum performance tighten the two M5 x 6mm grub screws. (Note: If using a thumbturn cylinder on some PVCu profiles it will be necessary to increase the length of the cylinder on the inside by 10mm, to allow access to the grub screw).
- If using a Winkhaus XR6 51 Kitemark thumbturn cylinder the thumbturn can be easily removed and re-installed without any special tools, to aid installation.



Exploded view of ArmorShield™ and XR6-51 Kitemark cylinder (TS007 3☆ Combination). M6 bolt is used to hold the ArmorShield™ halves together and 2 grub screws are tightened to help prevent the cylinder being removed if a 'snapping' attempt is made

XR6-51 Cylinder + ArmorShield™ = TS007 3☆



BUMP RESISTANT



DRILL RESISTANT



PICK RESISTANT



SNAP RESISTANT



XR6-51 Cylinder
= TS007 1☆

ArmorShield™
= TS007 2☆

Winkhaus UK Ltd

2950 Kettering Parkway, Kettering,
Northants NN15 6XZ

Tel: +44 (0)1536 316000

Fax: +44 (0)1536 416516

www.winkhaus.co.uk

email: enquiries@winkhaus.co.uk

ArmorShield™ - November 2020 - Print-No: xxx EN Subject to Alterations. All rights reserved